


- NOTES:
1. THIS DETAIL APPLIES WHERE THE DISTANCE BETWEEN INTERSECTING WALLS EXCEEDS 8'-0" FOR 8" CMU OR LARGER AND 6'-0" FOR 6" CMU.
  2. SPACE BRACES @ 10'-0" o.c. FOR 8" CMU AND 8'-0" o.c. FOR 6" CMU.
  3. FOR 6" CMU
  - 4.

**TYP. O  
DETAIL**  
2  
A301  
SCALE: 3/4" = 1'-0"


Temp wall panels to be provided, installed and removed by metal framing/drywall subcontractor. Temp walls to be used during exterior wall demo and re-build.

Construction: Metal stud frame, plywood skin (both sides), with Tyvek for weatherproofing on exterior side and peel and stick waterproofing at bottom for weather barrier. Brace top back to exterior wall.



NOTE: DESIGN BASED ON GENERAL AWNINGS 'IMPERIAL MARQUEE' PRODUCT.

**ALUM. CANOPY DETAIL**  
1  
A301  
SCALE: 1 1/2" = 1'-0"



**TYP. WALL SECTION**  
A  
A301  
SCALE: 1" = 1'-0"

**hostetlerarchitecture**  
ARCHITECTURE PLANNING  
3967 MARKET STREET  
WILMINGTON, NC 28403  
PHONE: 910.612.1119  
www.hostetlerarchitecture.com

CONSULTANTS

RENOVATIONS TO  
**GRACE BAPTIST CHURCH**  
WILMINGTON NORTH CAROLINA

HOSTETLER ARCHITECTURE STATE REGISTRATION  
53256

ARCHITECT OF RECORD SHAWN E. HOSTETLER 11926

CONSTRUCTION DOCUMENTS : 02.08.19

REVISIONS		
MARK	DATE	DESCRIPTION
△		
△		
△		
△		

DRAWN BY: PROJ. MGR: SHEET CONTENT

WALL SECTIONS, DETAILS

JOB NO. 18013	SHEET A301
------------------	---------------