

ANCHOR BOLT SCHEDULE							
MARK	BOLT DIAM. D	HOLE DIAMETER	A	B	TOP WASHER O.D. x t	LEVELING NUT	REMARKS
AB-1	¾"	1⅜"	1'-2"	5"	2" x ¼"	YES	2" LEVELING GROUT



DETAIL 'BP-1'
SCALE: 1 1/2" = 1'-0"

2 A303 BASE PLATE DETAIL



TEXTILE FIRE CURTAIN

NOTE:

FIRE SHUTTER: PROVIDE MCKEON 'FIREFIGHTER D2021' (OR APPROVED EQUAL) VERTICAL OPENING PROTECTIVE CURTAIN WITH EGRESS. PROTECTIVE SHALL PROVIDE 60 MIN. FIRE RATING AS REQUIRED FOR INSTALLATION.

3 A303 FIRE CURTAIN ELEVATION

SCALE: 1/4" = 1'-0"



SANCTUARY BUILDING STEEL FRAME ELEVATION

1 A303 SCALE: 1/4" = 1'-0"



D A303 WALL SECTION

SCALE: 1" = 1'-0"



E A303 WALL SECTION

SCALE: 1 1/2"= 1'-0"

hostetlerarchitecture
■ ARCHITECTURE ■ PLANNING
3967 MARKET STREET
WILMINGTON, NC 28403
PHONE: 910.612.1119
www.hostetlerarchitecture.com

CONSULTANTS

RENOVATIONS TO

GRACE BAPTIST CHURCH

WILMINGTON
NORTH CAROLINA

HOSTETLER ARCHITECTURE STATE REGISTRATION

HOSTETLER ARCHITECTURE, PLLC — REGISTERED ARCHITECTURAL COMPANY — 53256 — NORTH CAROLINA — WILMINGTON, NC

ARCHITECT OF RECORD
SHAWN E. HOSTETLER
11926

SHAWN E. HOSTETLER — REGISTERED ARCHITECT — 11926 — 12.8.19 — NORTH CAROLINA — WILMINGTON, NC

CONSTRUCTION DOCUMENTS : 02.08.19

REVISIONS

MARK	DATE	DESCRIPTION
1		
2		
3		
4		

DRAWN BY: PROJ. MGR:

SHEET CONTENT

SECTIONS, DETAILS

JOB NO. 18013

SHEET A303

©2018

Printed 2/20/2019